

MODEL No.

**850**

Cuts cables up to 85 mm

**SPECIFICATIONS**

Maximum handle load : 196 N  
 Two stage pumping  
 Relief valve is not equipped  
 Reservoir capacity : 120 cc  
 Maximum opening : 88 mm  
 Pumping cycles when no load :  
 20 times

Output force : 39 kN

**SIZE**

710 (L) mm

**WEIGHT**

8,2 kg

**ACCESSORIES**

Carrying bag

850



850 (Head opened)

**FEATURES**

Light weight portable hydraulic cutter features :

- \* Two stage pumping for rapid blade advance
- \* Guillotine type cutting for less jamming than shear type cutting
- \* No set-up time required
- \* Blades are easily replaceable
- \* 180 degree swivel and lock pin type head allows easy cutting position

**REMARKS**

Cutting of piano wire is prohibited.

Cutting capacity

Cu strands	: 28 mm
Al strands	: 38 mm
CCP cable	: 85 mm

Wire rope 6 x 7	: N/A
Wire rope 6 x 12	: N/A
Wire rope 6 x 19	: N/A
Soft steel bar	: N/A
Reinforcing rod	: N/A
ACSR	: N/A
Guy wire 1 x 7	: N/A
Guy wire 1 x 19	: N/A