

MODEL No.

SH-70B

Punching capacity : 20.5 mm diameter
hole on 13 mm thickness mild steel



SH-70B



Optional punch & die

- For copper & Aluminum
Cu6, Cu7, Cu8, Cu9, Cu10,
Cu10.5, Cu11, Cu12, Cu13.5,
Cu17.5, Cu20.5
- For mild steel
(every other mm)
S6-S19

FEATURES

The portable SH-70B punch was designed to punch holes through 13 mm mild steel, aluminum and copper.

A stripper guide extends on either side of the ram to strip the material after punching. This powerful punch will operate from any 68.5Mpa (10,000 PSI) hydraulic pump.

The SH-70B comes complete with four sets of punch and die sizes for 3/8", 1/2", 5/8" and 3/4" bolts, hand pin, carrying case.

SPECIFICATIONS

Throat depth : 70 mm
Oil volume required : 82 cc

Output force : 304 kN at 68.5 Mpa pressure

SIZE

360 (H) x 210 (W) x 95 (D) mm

WEIGHT

14.0 kg

ACCESSORIES

Punch & Die for mild steel :
10.5, 13.5, 17.5, 20.5mm
diameter, Hand pin,
Steel carrying case

REMARKS

- * Powerful perforation up to 13 mm thick mild steel with a 20.5 mm maximum hole
- * Recommended for angle iron, plates, beams and bus bars
- * Stripper guide extends to grip material before punching so that bending and binding or slippage can be avoided
- * Stripper guide clamps punch in place to free operator's hands
- * 70 mm throat depth allows commonly used angle iron
- * New fixed Support stand.